



**Warning!**

Be sure to read and fully understand this document before installing, operating, your Stazz product. Failure to do so can result in item failure, property damage, or serious injury. Item failure, injury or property damage due to improper installation is not covered by warranty.

**MAXIMIZE SPACE,
MINIMIZE EFFORT.**




LIST OF PARTS		
No.	Quantity	Description
A	1 set	Basket
B	1 set	Slide
C	1 set	Slide cover
D	1 set	Dish rack
E	1 set	Door panel connector
F	8 pcs	ST3X10
G	16 pcs	ST4X16


Dish rack measurements

Specification	Cabinet width	Door panel width
D468*W764*H167	800mm	702mm
D468*W664*H167	700mm	602mm

width: 800 mm



width: 700 mm



STEP 1 - Install the slide cover

Use ST3X10 screws (F) to install the slide cover (C) on the basket, as shown in Figure 1.




Figure 1

STEP 2 - Install the slide

Use ST4X16 screws (G) to install the slide (B) in the cabinet according to the size of Figure 2.




Figure 2

unit = mm

STEP 3 - Install the door panel connector

Use ST4X16 screws to install the door panel connector (E) on the door panel according to the size of Figure 3.




Figure 3

unit = mm

STEP 4 - Install the basket and door panel

1. Put the basket on the slide and push it into the cabinet, after hearing the sound of "click", complete the basket installation. (Note: the hook under the basket must be hooked to the slide, as shown in Figure 4-1.)
2. Install the door panel on the basket, as shown in Figure 4.




Figure 4-1

STEP 5 - Complete installation

Complete installation as shown in Figure 5.

Door panel adjustment:

1. Adjust the upper screw of the door panel connector. The door panel can be adjusted up and down and slanted as shown in Figure 6-1.
2. Adjust the middle end screw of the door plate connector. can adjust the slant of the door panel, as shown in Figure 6-2.

